

## CROSSWALK FOR DC:0-3R to ICD-9 DIAGNOSIS CODING

The Maine DC 0-3 Committee crosswalk is not intended to supercede or change official ICD-9 coding guidelines. It serves strictly as a tool to assist the clinician in assigning the correct diagnostic code required for reimbursement.

As identified in the DC:0-3R Classification manual, first use the appropriate DSM-IV diagnosis code if applicable.

DC: 0-3R Diagnosis		ICD-9-CM Diagnosis	
<i>** Note: Refer to ICD-9 Coding Manual for Exclusions for this Diagnosis</i>			
100	POSTTRAUMATIC STRESS DISORDER	308.3	Other Acute reactions to stress
		309.81	Prolonged posttraumatic stress disorder** • Chronic posttraumatic stress disorder
150	DEPRIVATION/MALTREATMENT DISORDER	313.89	Other or mixed emotional disturbance of childhood or adolescence
200	DISORDERS OF AFFECT		
210	PROLONGED BEREAVEMENT/GRIEF REACTION	309.0	Brief depressive reaction** • Adjustment disorder with depressed mood • Grief reaction
		309.1	Prolonged depressive reaction
220	ANXIETY DISORDERS OF INFANCY AND EARLY CHILDHOOD		
221	Separation Anxiety Disorder	309.21	Separation Anxiety Disorder
222	Specific Phobia	300.29	Simple Phobia
223	Social Anxiety Disorder	300.23	Social Phobia
224	Generalized Anxiety Disorder	300.02	Generalized Anxiety Disorder
225	Anxiety Disorder NOS	300.00	Anxiety state, unspecified** • Anxiety: neurosis, reaction, state (neurotic) • Atypical anxiety disorder
230	DEPRESSION OF INFANCY AND EARLY CHILDHOOD		
231	Type I: Major Depression	296.2	Depressive disorder, not elsewhere classified**
232	Type II: Depressive Disorder NOS	311	Depressive disorder, not elsewhere classified** • Depressive disorder NOS • Depressive state NOS • Depression NOS
240	MIXED DISORDER OF EMOTIONAL EXPRESSIVENESS	313.89	Other or mixed emotional disturbances of childhood or adolescence

## CROSSWALK FOR DC:0-3R to ICD-9 DIAGNOSIS CODING

The Maine DC 0-3 Committee crosswalk is not intended to supercede or change official ICD-9 coding guidelines. It serves strictly as a tool to assist the clinician in assigning the correct diagnostic code required for reimbursement.

*As identified in the DC:0-3R Classification manual, first use the appropriate DSM-IV diagnosis code if applicable.*

DC 0-3R Diagnosis		ICD-9-CM Diagnosis	
		<i>** Note: Refer to ICD-9 Coding Manual for Exclusions for this Diagnosis</i>	
<b>300</b>	<b>ADJUSTMENT DISORDER</b>	<b>309.0</b>	<b>Brief depressive reaction**</b> • Adjustment disorder with depressed mood • Grief reaction
		<b>309.24</b>	<b>Adjustment reaction with anxious mood</b>
		<b>309.28</b>	<b>Adjustment reaction with mixed emotional features</b>
		<b>309.29</b>	<b>Other</b> Culture Shock
		<b>309.3</b>	<b>With predominant disturbance of conduct**</b> • Conduct disturbance as adjustment reaction • Destructiveness as adjustment reaction
		<b>309.4</b>	<b>With mixed disturbance of emotions and conduct</b>
		<b>309.82</b>	<b>Adjustment reaction with physical symptoms</b>
		<b>309.83</b>	<b>Adjustment reaction with withdrawal</b> • Elective mutism as adjustment reaction • Hospitalism (in children) NOS
<b>400</b>	<b>REGULATION DISORDERS OF SENSORY PROCESSING</b>		
<b>410</b>	<b>HYPERSENSITIVE</b>		
<b>411</b>	<b>Type A: Fearful/Cautious</b>	<b>313.0</b>	<b>Overanxious disorder**</b> • Anxiety and fearfulness of childhood and adolescence • Overanxious disorder of childhood and adolescence
<b>412</b>	<b>Type B: Negative and Defiant</b>	<b>313.81</b>	<b>Oppositional disorder</b>
<b>420</b>	<b>HYPOSENSITIVE/UNDERRESPONSIVE</b>		<b>306.9</b>
<b>430</b>	<b>SENSORY STIMULATION-SEEKING/ IMPULSIVE</b>		<b>314.00</b>
			<b>Attention deficit disorder Without mention of hyperactivity</b> Predominantly inattentive type
		<b>314.01</b>	<b>With hyperactivity – combined type</b> Predominantly hyperactive/impulsive
		<b>314.9</b>	<b>Unspecified hyperkinetic syndrome</b> • Hyperkinetic reaction of childhood or adolescence NOS • Hyperkinetic syndrome NOS
<b>500</b>	<b>SLEEP BEHAVIOR DISORDER</b>		
<b>510</b>	<b>SLEEP-ONSET DISORDER</b>		<b>307.41</b>
			<b>Transient disorder of initiating or maintaining sleep</b> Hyposomnia, insomnia, or sleeplessness associated with acute or intermittent emotional reactions or conflicts
		<b>307.42</b>	<b>Persistent disorder of initiating or maintaining sleep</b> Hyposomnia, insomnia, or sleeplessness associated with: anxiety, conditioned arousal, depression, psychosis
<b>520</b>	<b>NIGHT-WAKING DISORDER</b>		<b>307.47</b>
			<b>Other dysfunctions of sleep stages or arousal from sleep</b> Nightmares: NOS, REM-sleep type, sleep drunkenness

## CROSSWALK FOR DC:0-3R to ICD-9 DIAGNOSIS CODING

The Maine DC 0-3 Committee crosswalk is not intended to supercede or change official ICD-9 coding guidelines. It serves strictly as a tool to assist the clinician in assigning the correct diagnostic code required for reimbursement.

*As identified in the DC:0-3R Classification manual, first use the appropriate DSM-IV diagnosis code if applicable.*

DC: 0-3R Diagnosis		ICD-9-CM Diagnosis	
		<i>** Note: Refer to ICD-9 Coding Manual for Exclusions for this Diagnosis</i>	
<b>600</b>	<b>FEEDING BEHAVIOR DISORDER</b>		
601	Feeding Disorder of State Regulation	307.59	Other Infantile feeding disturbances of nonorganic origin
602	Feeding Disorder of Caregiver-Infant Reciprocity		
603	Infantile Anorexia		
604	Sensory Food Aversions		
605	Feeding Disorder Associated with Concurrent Medical Condition	307.50	Eating Disorder Unspecified
606	Feeding Disorder Associated with Insults to the GI Tract		
<b>700</b>	<b>DISORDERS OF RELATING AND COMMUNICATING</b>		
710	MULTISYSTEM DEVELOPMENTAL DISORDER (under two years old, otherwise DSM-IV)	299.00	Infantile Autism
		315.9	Unspecified delay in development
<b>800</b>	<b>OTHER DISORDERS</b> DSM IV Codes ICD-9 Codes from Axis II		
<b>Axis II</b>	<b>RELATIONSHIP CLASSIFICATION</b>		
	PIR-GAS 41-80	V61.20	Counseling for Parent-child problem, unspecified
	PIR-GAS<40	313.3	Relationship problems**